Package: trellor (via r-universe)

August 31, 2024

1148451 51, 2021	
Title 'Trello' 'API'	
Version 0.0.0.9000	
Description A client to access the 'Trello' 'API'.	
License MIT + file LICENSE	
<pre>URL https://jonthegeek.github.io/trellor/,</pre>	
https://github.com/jonthegeek/trellor	
BugReports https://github.com/jonthegeek/trellor/issues	
Imports nectar	
Suggests beekeeper, httptest2, testthat (>= 3.0.0)	
Remotes jonthegeek/beekeeper, jonthegeek/nectar	
Config/testthat/edition 3	
Encoding UTF-8	
Roxygen list(markdown = TRUE)	
RoxygenNote 7.2.3	
Repository https://jonthegeek.r-universe.dev	
RemoteUrl https://github.com/jonthegeek/trellor	
RemoteRef HEAD	
RemoteSha 0f79288b3dea6929b0e74eda6892de5aa1612bda	
Contents	
trello_call_api	2
Index	3

2 trello_call_api

trello_call_api

Call the Trello API

Description

Generate a request to an Trello endpoint.

Usage

```
trello_call_api(
  path,
  query = NULL,
  body = NULL,
  method = NULL,
  key = Sys.getenv("TRELLO_KEY"),
  token = Sys.getenv("TRELLO_TOKEN"))
```

Arguments

path	The route to an API endpoint. Optionally, a list with the path plus variables to glue::glue() into the path.
query	An optional list of parameters to pass in the query portion of the request.
body	An object to use as the body of the request. If any component of the body is a path, pass it through fs::path() or otherwise give it the class "fs_path" to indicate that it is a path.
method	If the method is something other than GET or POST, supply it. Case is ignored.
key	An API key provided by the API provider. This key is not clearly documented in the API description. Check the API documentation for details.
token	An API key provided by the API provider. This key is not clearly documented in the API description. Check the API documentation for details.

Value

The response from the endpoint.

Index

```
fs::path(), 2
glue::glue(), 2
trello_call_api, 2
```